

# SAFETY DATA SHEET

### 1. Identification

**Product identifier** Non Skid Deck Cleaner with PTEF

Other means of identification

Product code 90641, 90645, 90651, 90655

Recommended use Cleaner. Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name SEACHOICE PRODUCTS **Address** 3131 N. Andrews Avenue Ext.

Pompano Beach, Florida 33064

General Information: **Telephone** (954) 581-1188

E-mail Not available. **Contact person** Not available.

CHEMTREC: (703) 527-3887 **Emergency phone number** 24-Hour Emergency:

or (800) 424-9300

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 1B

> Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

**Environmental hazards** Hazardous to the aquatic environment, acute Category 3

hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Causes severe skin burns and eye damage. May cause respiratory irritation. Harmful to aquatic

life.

Precautionary statement

Prevention Do not breathe mist or vapor. Wear protective gloves/protective clothing/eye protection/face

protection. Wash thoroughly after handling. Avoid release to the environment.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

> easy to do. Continue rinsing. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you

feel unwell. Collect spillage.

**Storage** Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

# 3. Composition/information on ingredients

**Mixtures** 

Deck Cleaner SDS US 1/8

919314-CC Version #: 01 Issue date: 20-March-2014 Revision date: -

Chemical name	CAS number	%
Alcohols, C9-11, ethoxylated	68439-46-3	<7
Ethylenediaminetetraacetic acid, tetrasodium salt	64-02-8	<5
2-Propanol	67-63-0	<2
Dipropylene glycol methyl ether	34590-94-8	<2

### 4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms persist.

Skin contact Remove and isolate contaminated clothing and shoes. Immediately flush skin with plenty of water.

Get medical attention immediately. For minor skin contact, avoid spreading material on unaffected

skin. Wash clothing separately before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth thoroughly. Call a physician or poison control center immediately. Do not induce Ingestion

Causes skin and eye burns. May cause respiratory tract irritation.

Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

vomiting without advice from poison control center.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Fire-fighting

equipment/instructions

must be worn in case of fire.

Move containers from fire area if you can do it without risk.

Specific methods Use water spray to cool unopened containers.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Ensure adequate ventilation. Ventilate closed spaces before entering them. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas. Dike the spilled material, where this is possible. Collect spillage. Do not allow material to contaminate ground water system.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece).

Large Spills: Dike far ahead of spill for later disposal. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Never return spills to original containers for re-use. Following product recovery, flush area with water. This material and its container must be disposed of as hazardous waste. Clean up in accordance with all applicable regulations.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

**Deck Cleaner** SDS US

# 7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, on clothing. Do not breathe mist or vapor. Do not eat, drink or smoke when using the product. Do not use in areas without adequate ventilation. Wear personal protective equipment. Avoid prolonged exposure. Wash thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Keep locked-up. Store in a well-ventilated place. Keep container tightly closed. Store in a closed container away from incompatible materials. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

# 8. Exposure controls/personal protection

### Occupational exposure limits

### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
2-Propanol (CAS 67-63-0)	PEL	980 mg/m3	
		400 ppm	
Dipropylene glycol methyl ether (CAS 34590-94-8)	PEL	600 mg/m3	
,		100 ppm	
US. ACGIH Threshold Limit Value	s		
Components	Туре	Value	
2-Propanol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	
Dipropylene glycol methyl ether (CAS 34590-94-8)	STEL	150 ppm	
,	TWA	100 ppm	
US. NIOSH: Pocket Guide to Cher	mical Hazards		
Components	Туре	Value	
2-Propanol (CAS 67-63-0)	STEL	1225 mg/m3	
		500 ppm	
	TWA	980 mg/m3	
		400 ppm	
Dipropylene glycol methyl ether (CAS 34590-94-8)	STEL	900 mg/m3	
•		150 ppm	
	TWA	600 mg/m3	
		100 ppm	

#### **Biological limit values**

# **ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
2-Propanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

<sup>\* -</sup> For sampling details, please see the source document.

#### **Exposure guidelines**

US - California OELs: Skin designation

Dipropylene glycol methyl ether (CAS 34590-94-8)

Can be absorbed through the skin.

**US - Tennesse OELs: Skin designation** 

Dipropylene glycol methyl ether (CAS 34590-94-8)

Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

Dipropylene glycol methyl ether (CAS 34590-94-8)

Can be absorbed through the skin.

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Dipropylene glycol methyl ether (CAS 34590-94-8)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Dipropylene glycol methyl ether (CAS 34590-94-8)

Can be absorbed through the skin.

**Appropriate engineering** Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors.

Deck Cleaner SDS US

### Individual protection measures, such as personal protective equipment

Eye/face protection Use approved safety goggles or face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation, use respiratory protection.

Thermal hazards Not available.

General hygiene considerations

Color

Do not get this material in your eyes, on your skin, or on your clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

Green.

### 9. Physical and chemical properties

Green liquid. **Appearance** Physical state Liquid. **Form** Liquid.

Not available. Odor Not available. **Odor threshold** 

11.8 pН

Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Not available. Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not available.

Not available. **Explosive limit - lower (%)** Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available.

Relative density Solubility(ies)

Complete. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Not available. Not available.

**Auto-ignition temperature Decomposition temperature Viscosity** Not available.

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability** Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

Deck Cleaner SDS US

# 11. Toxicological information

Information on likely routes of exposure

May have a corrosive effect on the digestive canal. Ingestion

Inhalation May cause irritation to the respiratory system.

Skin contact Causes skin burns. Eye contact Causes eye burns.

Symptoms related to the physical, chemical and toxicological characteristics Causes skin and eye burns. May cause respiratory irritation.

Information on toxicological effects

May have a corrosive effect on the digestive canal. Acute toxicity

**Species Test Results** Components

2-Propanol (CAS 67-63-0)

Acute

Dermal

LD50 Rabbit 12800 mg/kg

Oral

LD50 Rat 4700 mg/kg

Dipropylene glycol methyl ether (CAS 34590-94-8)

Acute

Dermal

LD50 Rabbit 9.5 g/kg

Oral

LD50 Rat 5.35 g/kg

Ethylenediaminetetraacetic acid, tetrasodium salt (CAS 64-02-8)

Acute

Oral

> 2000 mg/kg LD50 Rat

Skin corrosion/irritation Causes skin burns.

Serious eye damage/eye

irritation

Causes eye burns.

Respiratory or skin sensitization

Not classified. Respiratory sensitization Skin sensitization Not classified. Germ cell mutagenicity Not classified.

This product is not considered to be a carcinogen by NTP, IARC, or OSHA. Carcinogenicity

Reproductive toxicity Not classified.

Specific target organ toxicity -

single exposure

May cause respiratory tract irritation.

Not classified. Specific target organ toxicity -

repeated exposure

**Aspiration hazard** Not classified.

12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

**Product Species Test Results** 

Deck Cleaner (CAS Mixture)

Aquatic

Crustacea EC50 Daphnia 110.0667 mg/l, 48 hours, estimated

Deck Cleaner 5/8

919314-CC Version #: 01 Issue date: 20-March-2014 Revision date: -

Components **Species Test Results** 

2-Propanol (CAS 67-63-0)

Aquatic

LC50 Bluegill (Lepomis macrochirus) > 1400 mg/l, 96 hours Fish

Alcohols, C9-11, ethoxylated (CAS 68439-46-3)

Aquatic

EC50 Crustacea Water flea (Daphnia magna) 2.9 - 8.5 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 6 - 12 mg/l, 96 hours

Ethylenediaminetetraacetic acid, tetrasodium salt (CAS 64-02-8)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) 472 - 500 mg/l, 96 hours

Not established. Persistence and degradability Bioaccumulative potential Not established. Partition coefficient n-octanol / water (log Kow)

0.05 2-Propanol (CAS 67-63-0)

Mobility in soil Not established. Other adverse effects Not established.

13. Disposal considerations

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was

Waste from residues / unused

products

Dispose of waste and residues in accordance with local authority requirements.

Since emptied containers retain product residue, follow label warnings even after container is Contaminated packaging

emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

**US** federal regulations This product is hazardous according to OSHA 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

2-Propanol (CAS 67-63-0) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

> Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SDS US Deck Cleaner 919314-CC Version #: 01 Revision date: -Issue date: 20-March-2014

Chemical name	CAS number	% by wt.
2-Propanol	67-63-0	<2

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US** state regulations

### **US. Massachusetts RTK - Substance List**

2-Propanol (CAS 67-63-0)

Dipropylene glycol methyl ether (CAS 34590-94-8)

#### US. New Jersey Worker and Community Right-to-Know Act

2-Propanol (CAS 67-63-0)

Dipropylene glycol methyl ether (CAS 34590-94-8)

# US. Pennsylvania Worker and Community Right-to-Know Law

2-Propanol (CAS 67-63-0)

Dipropylene glycol methyl ether (CAS 34590-94-8)

#### **US. Rhode Island RTK**

2-Propanol (CAS 67-63-0)

#### **US. California Proposition 65**

# US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

#### **International Inventories**

Country(s) or region

3 ( )		
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

Inventory name

20-March-2014 Issue date

**Revision date** Version # 01

**Further information** HMIS® is a registered trade and service mark of the NPCA.

**Deck Cleaner** 

919314-CC Version #: 01 Revision date: - Issue date: 20-March-2014

On inventory (yes/no)\*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### **NFPA Ratings**



References

ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Seachoice Products assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Seachoice Products assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.

Deck Cleaner SDS US