

## SAFETY DATA SHEET

## 1. Identification

Product identifier	Non Skid Deck Cleaner with	PTEF			
Other means of identification					
Product code	90641, 90645, 90651, 90655				
Recommended use	Cleaner.				
<b>Recommended restrictions</b>	None known.				
Manufacturer/Importer/Supplier/	Distributor information				
Company name Address	SEACHOICE PRODUCTS 3131 N. Andrews Avenue Ext. Pompano Beach, Florida 33064				
Telephone	General Information: (954) 581-1188				
E-mail	Not available.				
Contact person	Not available.				
Emergency phone number	24-Hour Emergency: CHEMTREC: (703) 527-3887 or (800) 424-9300				
2. Hazard(s) identification					
Physical hazards	Not classified.				
Health hazards	Skin corrosion/irritation		Category 1B		
	Serious eye damage/eye irritation		Category 1		
	Specific target organ toxicity, single exposure		Category 3 respiratory tract irritation		
Environmental hazards	Hazardous to the aquatic environment, acute hazard		Category 3		
OSHA defined hazards	Not classified.				

Label elements



Signal word	Danger
Hazard statement	Causes severe skin burns and eye damage. May cause respiratory irritation. Harmful to aquatic life.
Precautionary statement	
Prevention	Do not breathe mist or vapor. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Avoid release to the environment.
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Collect spillage.
Storage	Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

## 3. Composition/information on ingredients

#### Mixtures

Chemical name	CAS number	%	
Alcohols, C9-11, ethoxylated	68439-46-3	<7	
Ethylenediaminetetraacetic acid, tetrasodium salt	64-02-8	<5	
2-Propanol	67-63-0	<2	
Dipropylene glycol methyl ether	34590-94-8	<2	

#### 4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms persist.
Skin contact	Remove and isolate contaminated clothing and shoes. Immediately flush skin with plenty of water. Get medical attention immediately. For minor skin contact, avoid spreading material on unaffected skin. Wash clothing separately before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth thoroughly. Call a physician or poison control center immediately. Do not induce vomiting without advice from poison control center.
Most important symptoms/effects, acute and delayed	Causes skin and eye burns. May cause respiratory tract irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.

## 5. Fire-fighting measures

Suitable extinguishing media	Water. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do it without risk.
Specific methods	Use water spray to cool unopened containers.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear protective clothing as described in Section 8 of this safety data sheet. Ensure adequate ventilation. Ventilate closed spaces before entering them. Keep people away from and upwind of spill/leak. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas. Dike the spilled material, where this is possible. Collect spillage. Do not allow material to contaminate ground water system.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece).
	Large Spills: Dike far ahead of spill for later disposal. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
	Never return spills to original containers for re-use. Following product recovery, flush area with water. This material and its container must be disposed of as hazardous waste. Clean up in accordance with all applicable regulations.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water.

## 7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, on clothing. Do not breathe mist or vapor. Do not eat, drink or smoke when using the product. Do not use in areas without adequate ventilation. Wear personal protective equipment. Avoid prolonged exposure. Wash thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Keep locked-up. Store in a well-ventilated place. Keep container tightly closed. Store in a closed container away from incompatible materials. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

		Туре		N N	/alue
2-Propanol (CAS 67-63-0)		PEL		g	980 mg/m3
				4	00 ppm
Dipropylene glycol methyl ether (CAS 34590-94-8)		PEL		6	600 mg/m3
				1	00 ppm
US. ACGIH Threshold Lir	mit values				
Components		Туре		V	/alue
2-Propanol (CAS 67-63-0)		STEL		4	00 ppm
		TWA		2	200 ppm
Dipropylene glycol methyl ether (CAS 34590-94-8)		STEL		1	50 ppm
		TWA		1	00 ppm
US. NIOSH: Pocket Guide	e to Chemical Ha	zards			
Components		Туре		Ň	/alue
2-Propanol (CAS 67-63-0)		STEL		1	225 mg/m3
				5	600 ppm
		TWA		9	980 mg/m3
				4	00 ppm
Dipropylene glycol methyl ether (CAS 34590-94-8)		STEL		g	000 mg/m3
ether (CAS 34390-94-6)					
				1	50 ppm
		TWA			50 ppm 600 mg/m3
		TWA		6	
ogical limit values		TWA		6	600 mg/m3
, , , , , , , , , , , , , , , , , , ,	ure Indices	TWA		6	600 mg/m3
ogical limit values ACGIH Biological Expos	ure Indices Value		eterminant	6	600 mg/m3
ogical limit values ACGIH Biological Expos Components	Value	De	eterminant cetone	6 1	00 mg/m3 00 ppm
ogical limit values ACGIH Biological Expos Components 2-Propanol (CAS 67-63-0)	<b>Value</b> 40 mg/l	De Ac	cetone	6 1 Specimen	00 mg/m3 00 ppm
ogical limit values ACGIH Biological Expos Components 2-Propanol (CAS 67-63-0) * - For sampling details, plo	<b>Value</b> 40 mg/l	De Ac	cetone	6 1 Specimen	00 mg/m3 00 ppm
ogical limit values ACGIH Biological Expose Components 2-Propanol (CAS 67-63-0) * - For sampling details, plo osure guidelines	Value 40 mg/l ease see the sour	De Ac	cetone	6 1 Specimen	00 mg/m3 00 ppm
ogical limit values ACGIH Biological Expose Components 2-Propanol (CAS 67-63-0) * - For sampling details, plo osure guidelines US - California OELs: Ski Dipropylene glycol me	Value 40 mg/l ease see the sour in designation ethyl ether (CAS 3	De Ac ce docume	cetone nt.	6 1 Specimen	500 mg/m3 00 ppm Sampling Time
ogical limit values ACGIH Biological Expose 2-Propanol (CAS 67-63-0) * - For sampling details, ple osure guidelines US - California OELs: Ski Dipropylene glycol me US - Tennesse OELs: Ski	Value 40 mg/l ease see the sour in designation ethyl ether (CAS 3 in designation	De Ac ce docume 4590-94-8)	cetone nt. Can be	6 1 Specimen Urine	500 mg/m3 00 ppm Sampling Time *
ogical limit values ACGIH Biological Expose Components 2-Propanol (CAS 67-63-0) * - For sampling details, ple osure guidelines US - California OELs: Ski Dipropylene glycol me US - Tennesse OELs: Ski Dipropylene glycol me US ACGIH Threshold Lin	Value 40 mg/l ease see the sour in designation ethyl ether (CAS 3 in designation ethyl ether (CAS 3 nit Values: Skin c	De Ac ce docume 4590-94-8) 4590-94-8) designatior	cetone nt. Can be Can be	6 Specimen Urine e absorbed thro e absorbed thro	Soo mg/m3 OO ppm * * bugh the skin.
ogical limit values ACGIH Biological Expose Components 2-Propanol (CAS 67-63-0) * - For sampling details, plo osure guidelines US - California OELs: Ski Dipropylene glycol me US - Tennesse OELs: Ski Dipropylene glycol me	Value 40 mg/l ease see the sour in designation ethyl ether (CAS 3 in designation ethyl ether (CAS 3 nit Values: Skin c ethyl ether (CAS 3	De Ac ce docume 4590-94-8) 4590-94-8) designatior 4590-94-8)	cetone nt. Can be Can be	6 1 Specimen Urine	Soo mg/m3 OO ppm * * bugh the skin.
ogical limit values ACGIH Biological Expose 2-Propanol (CAS 67-63-0) * - For sampling details, ple osure guidelines US - California OELs: Ski Dipropylene glycol me US - Tennesse OELs: Ski Dipropylene glycol me US ACGIH Threshold Lin Dipropylene glycol me US. NIOSH: Pocket Guide Dipropylene glycol me	Value 40 mg/l ease see the sour in designation ethyl ether (CAS 3 in designation ethyl ether (CAS 3 nit Values: Skin c ethyl ether (CAS 3 e to Chemical Ha ethyl ether (CAS 3	De Ac ce docume 4590-94-8) 4590-94-8) designatior 4590-94-8) izards 4590-94-8)	cetone nt. Can be Can be Can be Can be	6 1 Specimen Urine e absorbed thro e absorbed thro e absorbed thro e absorbed thro e absorbed thro	soo mg/m3 oo ppm sampling Time * bugh the skin. bugh the skin.
ogical limit values ACGIH Biological Expose 2-Propanol (CAS 67-63-0) * - For sampling details, ple osure guidelines US - California OELs: Ski Dipropylene glycol me US - Tennesse OELs: Ski Dipropylene glycol me US ACGIH Threshold Lin Dipropylene glycol me US. NIOSH: Pocket Guide	Value 40 mg/l ease see the sour in designation ethyl ether (CAS 3 in designation ethyl ether (CAS 3 nit Values: Skin c ethyl ether (CAS 3 e to Chemical Ha ethyl ether (CAS 3 its for Air Contar	De Ac ce docume 4590-94-8) 4590-94-8) designatior 4590-94-8) izards 4590-94-8) ninants (29	cetone nt. Can be Can be Can be Can be Can be	6 1 Specimen Urine e absorbed thro e absorbed thro e absorbed thro e absorbed thro e absorbed thro	Soon mg/m3 00 ppm sampling Time * bugh the skin. bugh the skin. bugh the skin.

#### Individual protection measures, such as personal protective equipment

Eye/face protection	Use approved safety goggles or face shield.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation, use respiratory protection.
Thermal hazards	Not available.
General hygiene considerations	Do not get this material in your eyes, on your skin, or on your clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

<b>,</b> , , , , , , , , , , , , , , , , , ,	•
Appearance	Green liquid.
Physical state	Liquid.
Form	Liquid.
Color	Green.
Odor	Not available.
Odor threshold	Not available.
рН	11.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Complete.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure Novh

Ingestion	May have a corrosive effect on the digestive canal.
Inhalation	May cause irritation to the respiratory system.
Skin contact	Causes skin burns.
Eye contact	Causes eye burns.
Symptoms related to the physical, chemical and toxicological characteristics	Causes skin and eye burns. May cause respiratory irritation.

#### Information on toxicological effects

Ma	, have a	aarraaiiya	offect	on the	diagotivo
IVIA	/ nave a	corrosive	enect	on the	algestive

Acute toxicity	May have a corrosive effect on the dige	stive canal.
Components	Species	Test Results
2-Propanol (CAS 67-63-0)		
Acute		
Dermal		
LD50	Rabbit	12800 mg/kg
Oral		
LD50	Rat	4700 mg/kg
Dipropylene glycol methyl ether	(CAS 34590-94-8)	
Acute		
Dermal		/
LD50	Rabbit	9.5 g/kg
Oral	<b>D</b> .	
LD50	Rat	5.35 g/kg
-	, tetrasodium salt (CAS 64-02-8)	
Acute		
Oral		
LD50	Rat	> 2000 mg/kg
Skin corrosion/irritation	Causes skin burns.	
Serious eye damage/eye irritation	Causes eye burns.	
Respiratory or skin sensitizati	on	
Respiratory sensitization	Not classified.	
Skin sensitization	Not classified.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	This product is not considered to be a carcinogen by NTP, IARC, or OSHA.	
Reproductive toxicity	Not classified.	
Specific target organ toxicity - single exposure	May cause respiratory tract irritation.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not classified.	
12. Ecological information		
Ecotoxicity	Harmful to aquatic life.	
Product	Species	Test Results
Deck Cleaner (CAS Mixture	e)	
Aquatic		
Crustacea	EC50 Daphnia	110.0667 mg/l, 48 hours, estimated

	Species	Test Results
LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
(CAS 68439-46-	3)	
EC50	Water flea (Daphnia magna)	2.9 - 8.5 mg/l, 48 hours
LC50	Fathead minnow (Pimephales promelas)	6 - 12 mg/l, 96 hours
cid, tetrasodium	salt (CAS 64-02-8)	
LC50	Bluegill (Lepomis macrochirus)	472 - 500 mg/l, 96 hours
Not establishe	d.	
Not establishe	d.	
ol / water (log l	<b>(ow)</b> 0.05	
Not establishe	d.	
Not establishe	d.	
	(CAS 68439-46- EC50 LC50 cid, tetrasodium LC50 Not establishe Not establishe <b>nol / water (log H</b> Not establishe	LC50 Bluegill (Lepomis macrochirus) (CAS 68439-46-3) EC50 Water flea (Daphnia magna) LC50 Fathead minnow (Pimephales promelas) cid, tetrasodium salt (CAS 64-02-8) LC50 Bluegill (Lepomis macrochirus) Not established. Not established. Not established.

#### 13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous waste code	Waste codes should be assigned by the user based on the application for which the product was used.
Waste from residues / unused products	Dispose of waste and residues in accordance with local authority requirements.
Contaminated packaging	Since emptied containers retain product residue, follow label warnings even after container is emptied.

#### 14. Transport information

DOT

Not regulated as dangerous goods.

## IATA Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

## Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

#### This product is hazardous according to OSHA 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**US** federal regulations

#### CERCLA Hazardous Substance List (40 CFR 302.4)

2-Propanol (CAS 67-63-0)

LISTED

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardous substance	

Not listed.

# SARA 311/312 Hazardous Yes chemical

SARA 313 (TRI reporting) Chemical name	CAS number	% by wt.
2-Propanol	67-63-0	<2
her federal regulations		
Clean Air Act (CAA) Section 112 Hazardous Air Pol	lutants (HAPs) List	
Not regulated.		
Clean Air Act (CAA) Section 112(r) Accidental Relea	ase Prevention (40 CFR	68.130)
Not regulated.		
Safe Drinking Water Act Not regulated. (SDWA)		
S state regulations		
US. Massachusetts RTK - Substance List		
2-Propanol (CAS 67-63-0)		
Dipropylene glycol methyl ether (CAS 34590-94-8)		
US. New Jersey Worker and Community Right-to-K	now Act	
2-Propanol (CAS 67-63-0)		
Dipropylene glycol methyl ether (CAS 34590-94-8)		
US. Pennsylvania Worker and Community Right-to-	Know Law	
2-Propanol (CAS 67-63-0)		
Dipropylene glycol methyl ether (CAS 34590-94-8)		
US. Rhode Island RTK		
2-Propanol (CAS 67-63-0)		
US. California Proposition 65		

Not listed.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date	20-March-2014
Revision date	-
Version #	01
Further information	$\ensuremath{HMIS}\xspace^{\ensuremath{R}}$ is a registered trade and service mark of the NPCA.



References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Seachoice Products assumes no responsibility for injury to the vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Seachoice Products assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.